PO Box 5089, West Krugersdorp, 1742 8 Forge Street, Boltonia, West Krugersdorp

Tel: +27 11 665 3754 / +27 11 024 4230

Fax: +27 11 665 4626

HD Semi-Synthetic Soluble Cutting Fluid

DESCRIPTION

Lube Fusion Heavy Duty Soluble Cutting Oil is a premium quality, relatively low cost general purpose semisynthetic water extendable fluid for use on ferrous and non-ferrous metals (including aluminium). It is low foaming, provides excellent corrosion protection, and has a high degree of lubricity with exceptional wetting and cooling properties.

APPLICATION

- Milling
- Tapping
- Metal forming
- Broaching
- Thread cutting
- Drilling
- Turning
- Grinding

PERFORMANCE

Meets or exceeds:

ISO MAF

ADVANTAGES

- Does **NOT** contain chlorine, nitrites or phenols.
- Since it is based on succinate emulsifier chemistry, it does not contain sulfur and therefore, is less susceptible to developing unpleasant odors that result from sulfur reducing bacteria.
- Contains no diethanolamine.
- Extended tool life
- Good surface finish
- Prevents rust on machine and machined parts
- Free of boron and secondary amines

TYPICAL PHYSICAL CHARACTERISTICS

Property	Unit	Result	Method
Density @ 20°C	kg/cm	1.1	ISO 3675
Colour (Neat)		Clear medium amber liquid	Visual
Colour (Diluted)		Clear	Visual
		transparent	
pH neat	N/A	9.7	

RECOMMENDED MIXTURE RATIOS

Application	Steels	Alloy steels	Brasses	Bronzes	Aluminium &
					Alloys
Cold Sawing	20:1	25:1	30:1	15:1	8:1
Drilling	20:1	15:1	30:1	15:1	10:1
Milling	20:1	15:1	30:1	20:1	10:1
Reaming	20:1	10:1	30:1	20:1	10:1
Tapping	20:1	10:1	30:1	20:1	10:1

WARRANTY - All statements, information and data presented herein are believed to be accurate and reliable but are not to be taken as a guarantee, expressed or implied, for which seller assumes legal responsibility and they are offered solely for your consideration, investigation and verification. Statements or suggestions concerning possible use of this product are made without representation or warranty that any such use if free of patent infringement and are not recommendations to infringe on any patent.