



## **SUPER TRACTOR OIL UNIVERSAL (STOU) 15W40**

### **DESCRIPTION**

STOU is an agricultural stable multi-grade oil, formulated from HVI base oils with a VI improver, plus a high performance detergent/dispersant additive. The oil is designed primarily for use in both normally aspirated and turbo-charged diesel engines, most transmissions and hydraulic systems found on modern agricultural implements. The load-carrying properties of the oil have been enhanced to ensure protection of the mating gear teeth even under the most arduous conditions. To provide the necessary lubrication for oil-immersed brakes, as found in some transmission systems used on tractors, an effective anti-squawk agent is incorporated.

### **APPLICATION**

STOU is designed for use in both naturally aspirated and turbo-charged engines, most transmissions and hydraulic systems found on modern agricultural implements on the farm.

### **PERFORMANCE**

Meets or exceeds:

- MASSEY FERGUSON CMS M 1135, 1143, 1144/5 AND 1139
- CG4 (SOOT CONTROL), ACEA E3, SF
- JOHN DEERE J27 AND J20C
- FORD M2C – 159B/C
- FORD M2C 134 D
- ZF TE ML 06A, B (ALSO INCLUDES ZF TE ML06R), C AND 07B
- CASE NEW HOLLAND MAT 3525 AND 3526
- NEW HOLLAND 82009201/2/3
- API GL-4
- MERCEDES BENZ 227.1
- SPERRY VICKERS / EATON I-280-5 AND M2950 5

### **ADVANTAGES**

- One oil for the farm
- Superior lubrication
- Protection against low temperature sludge and ring sticking
- Protection against rusting, foaming and corrosive wear
- Effective anti-squawk properties

2/...

**TYPICAL PHYSICAL CHARACTERISTICS**

<b>Property</b>	<b>Unit</b>	<b>SAE 15W40</b>	<b>Method</b>
Viscosity 40°C	cSt	130	ASTM D-445
Viscosity 100°C	cSt	12.6	ASTM D-445
Viscosity Index	VI	124	ASTM D2270
Pour Point	°C	-27	ASTM D93
TBN mg KOH/g		10.66	ASTM D2896

**WARRANTY** - All statements, information and data presented herein are believed to be accurate and reliable but are not to be taken as a guarantee, expressed or implied, for which seller assumes legal responsibility and they are offered solely for your consideration, investigation and verification. Statements or suggestions concerning possible use of this product are made without representation or warranty that any such use is free of patent infringement and are not recommendations to infringe on any patent.